

A2
cancel. into a *Streptomyces* host, cultivating the recombinant strain obtained, and isolating the compounds produced.

A3
0530160-0330-0970-0350
12. (Amended) A process for the production of hybrid compounds, comprising transferring at least one of the genes selected from the group consisting of *snogJ*, *snogA*, *snoaM*, *snogN*, *snoaG*, *snogC*, *snogK*, *snoaL*, *snoK*, *snogD*, *snoW*, *snogE*, *snoL*, *snoO* and *snoaF* into a *Streptomyces* host, said genes being derived from the DNA fragment of claim 1, cultivating the recombinant strain obtained, and isolating the compounds produced.

A4
omit
16. (New) A recombinant DNA, which comprises the DNA fragment according to claim 2, cloned in a plasmid replicating in *Streptomyces*.


17. (New) The recombinant DNA according to claim 16, which is the plasmid pSY15c, comprising a 1.4 kb *Bam*HI-*Sac*I fragment from the plasmid pSY42 and a 1.1 kb *Mlu*I-*Kpn*I fragment from the plasmid pSY43.

18. (New) A process for the production of hybrid compounds, comprising transferring the DNA fragment according to claim 2 into a *Streptomyces* host, cultivating the recombinant strain obtained, and isolating the compounds produced.

19. (New) The process according to claim 18, wherein the *Streptomyces* host is a *Streptomyces galilaeus* host.


20. (New) The process according to claim 19, wherein the *Streptomyces galilaeus* host is selected from the strains H026, H039, H063 and H075, which are mutant strains of *S. galilaeus* ATCC 31615.

21. (New) The process according to claim 19, wherein an anthracycline is produced, which has the following formula I



(I)

22. (New) The process according to claim 19, wherein an anthracyclinone is produced, which has the following formula II



(II)

23. (New) A process for the production of hybrid compounds, comprising transferring at least one of the genes selected from the group consisting of *snogJ*, *snogA*, *snoaM*, *snogN*, *snoaG*, *snogC*, *snogK*, *snoaL*, *snoK*, *snogD*, *snoW*, *snogE*, *snoL*, *snoO* and *snoaF* into a *Streptomyces* host, said genes being derived from the DNA fragment of claim 2, cultivating the recombinant strain obtained, and isolating the compounds produced.

A4
Cmcd.
09630160 "042301

24. (New) The process according to claim 23, wherein the gene *snoaL* encoding NAME cyclase is transferred into a *Streptomyces* host.

25. (New) The process according to claim 23, wherein at least one of the genes *snogD* and *snogE* encoding glycosyl transferases is transferred into a *Streptomyces* host.

26. (New) The process according to claim 23, wherein at least one of the genes *snogJ*, *snogN*, *snogC*, *snogK* and *snogA* affecting the formation of nogalamine and nogalose is transferred into a *Streptomyces* host.

IN THE ABSTRACT:

Please amend the Application to include the attached Abstract of the Disclosure on a separate page following the claims.